

Glutathione Fluorescent Detection Kit (Cat No. SKT-202)

Section 1: Product and Company Identification		
Product Name	Glutathione Fluorescent Detection Kit	
Catalog Number	SKT-202	
Company	StressMarq Biosciences Inc.	
	PO Box 55036 Cadboro Bay Victoria BC V8N4G0 CANADA	
	Tel: 250.294.9065 Fax: 250-294-9025 <u>info@stressmarq.com</u>	
	www.stressmarq.com	

Section 2: Chemical C	Component Information	1		
List of Components	Plate (SKC-202A)			
	Glutathione Standard (SI	<c-202b)< th=""><th></th><th></th></c-202b)<>		
	Detection Reagent (SKC-	202C)		
	Dry DMSO (SKC-202D)			
	Assay Buffer (SKC-202E)			
	NADPH Concentrate (SK	C-202F)		
	Glutathione Reductase C	Concentrate (SKC-202G)		
	Oxidized Glutathione Co	ntrol (SKC-202H)		
Hazardous Ingredients				
Chemical Name	CAS #	<u>Kit Component</u>	Percent	SARA 313
Dimethyl sulfoxide	67-68-5	Dry DMSO	100%	No
Information on other s	Information on other specific chemicals of this kit is being withheld as a trade secret of the manufacturer.			nufacturer.

Section 3: Health Hazards	
Emergency Overview	It is recommended that personnel wear safety goggles, gloves and protective clothing a all times. As part of good industrial and personal hygiene and safety procedure, avoid al unnecessary exposure to the chemical components of this kit and ensure promp removal from skin, eye, and clothing.
Dimethyl sulfoxide	May be harmful if inhaled, absorbed through skin or swallowed. May be irritating to eyes, respiratory system and skin. Harmful to aquatic organisms, may cause long-tern adverse effects in aquatic environment.

Section 4: First Aid M	easures
Inhalation	If inhaled, remove to fresh air. Seek medical attention if any respiratory symptoms develop.
Skin Contact	Wash thoroughly with soap and water.
Eye Contact Ingestion	Rinse eyes with water as a precaution. If swallowed, wash out mouth with water if person is conscious.

Section 5: Fire Fighting Measures		
Flash Point	87°C (189°F) – closed cup	
Explosion Limits	N/A	
Auto-ignition Temp	301°C (574°F)	
Flammability	N/A	
Extinguishing Media	Suitable: Water spray, alcohol-resistant foam, carbon dioxide, or dry chemical.	
	Protective Equipment: Wear self-contained breathing apparatus and protective clothing	



Glutathione Fluorescent Detection Kit (Cat No. SKT-202)

Firefighting to prevent contact with skin and eyes.

Section 6: Accidental Release Measures		
Cleanup Procedures	Wear appropriate protective clothing, Contain spill to prevent migration. Keep spilled materials wet with water. Do not allow to dry! Absorb on sand or vermiculite and place in closed container(s) for disposal. Ventilate area and wash spill site after pickup is complete.	
Waste Disposal	Dispose of in accordance with federal, state, and local regulations.	

Section 7: Handling and Storage

Handling Avoid getting components of this kit on you or in you. Always wear appropriate protective clothing. Always wash hands and other exposed areas thoroughly after using this kit. Do not eat or drink while using this kit. Qualified and experienced professionals should only handle this kit.
Storage Store according to the package insert instructions.

Section 8: Exposure Controls and Personal Protection

Engineering Controls	No special engineering controls are required when working with this kit. Use with
	adequate ventilation.
Protective Equipment	Safety glasses are recommended to prevent eye contact. Chemical resistant gloves and a
	lab coat should be worn to prevent skin contact.

Section 9: Physical and Chemical Properties **Characteristic** Dry DMSO 100% Appearance Clear, colorless liquid Odor Slight **Boiling Point** 189°C (372°F) at 1,013 hPa (760 mmHg) **Melting Point** 18.4°C (65.1°F) Flash Point 87°C (189°F) – closed cup Ignition temperature 301°C (574°F) Density 1.1 g/cm3 Vapor Pressure 0.55 hPa (0.41 mmHg) at 20°C (68°F) Solubility in Water Complete N/A рΗ

Section 10: Stability and Reactivity	
Stability	This material is stable until the expiration date on the kit if stored as directed.
Incompatibles	Strong oxidizing or reducing agents, acid chlorides, phosphorus halides, strong acids.
Conditions to Avoid	Moisture



Glutathione Fluorescent Detection Kit (Cat No. SKT-202)

Section 11: Toxicological Information		
Route of Exposure		
Skin Contact	May cause skin irritation.	
Skin Absorption	May be harmful if absorbed through the skin.	
Eye Contact	May cause eye irritation.	
Inhalation	May be harmful if inhaled. May be irritating to respiratory tract.	
Ingestion	May be harmful if swallowed.	
Symptoms of Exposure	To the best of our knowledge, the chemical, physical, and toxicological properties have	
	not been thoroughly investigated.	

Section 12: Ecological Information

No data is available.

Section 13: Disposal Considerations

Dispose of waste materials, unused components and contaminated packaging in compliance with country, state, district and local regulations. If unsure of the applicable requirements, contact the authorities for information.

Section 14: Transport Information

nical Kits
iscellaneous
5 9
nical Kits
5
iscellaneous
s 9

Section 15: Regulatory Information

Product related information

The product is not subject to classification according to the sources of literature known to us. Observe general safety regulations when handling chemicals.

Safety Statements

Avoid release to the environment.

Risk Statements

Harmful if swallowed. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

U.S. Regulatory Information

Sara Listed: No, none of the materials contained in this product are subject to SARA 313 Reporting requirements.



Glutathione Fluorescent Detection Kit (Cat No. SKT-202)

Section 16: Other I	Section 16: Other Information		
Disclaimer:	For Research Use Only. Not for diagnostic, therapeutic, or other uses.		
Further Information:	The information contained in this document is accurate to the best of our knowledge and is provided in good faith. This document is intended only as a guide to the appropriate precautionary handling of the materials contained in this kit by properly trained personnel using this kit. Final determination or suitability of any materials is the sole responsibility of the user. StressMarq Biosciences Inc. shall not be held liable for any damage resulting from use or handling of this product.		